

EDUCATION FLOORING



American Biltrite - Texas Granite



YORKSHORE SALES
COMMERCIAL FLOORING DISTRIBUTOR
yorkshire@yorkshire.com | 866-996-7563

Creating a positive learning environment starts from the ground up! We take great pride in carrying “best-in-class” products that are at the forefront of sustainability, maintenance, and durability.

All our products feature low VOC emissions to create the best indoor air quality for students and teachers.

Our flooring collection for schools includes luxury vinyl tiles (LVT) & planks (LVP), solid vinyl tiles (SVT), sheet vinyl, rubber tiles & sheets.

Some factors to consider when selecting your floor covering include

- Noise reduction
- Air quality
- Low maintenance

Environmental Resources to be Considered:

- ⊕ **Leed for Education:** Evidence-based design that delivers safe, healthy and sustainable learning environments.
- ⊕ **Princeton Green Guide:** Evidence-based design that delivers safe, healthy and sustainable learning environments.
- ⊕ **FloorScore:** Rating system that evaluates flooring for VOC emission levels and other compliances.
- ⊕ **Eco Scorecard:** Composite tool showing flooring products that comply with the most popular rating system.

Products suited for Education Flooring environments:

American Biltrite

AB Pure
Marathon
Mirra
Sonata
Sonata Elements
Texas Granite
Electrotile

Dinoflex

Evolution
Nature’s Collection
Next Step High
Impact
Next Step Extreme
PlayTiles

Graboplast

Fortis Silver Knight
Silver Knight Acoustic 7
GraboSports

RUBBER - TILES/SHEET

ABPURE



AMERICAN BILTRITE

36 COLORS



Imagine



Imagine



Hammered

10 Reasons to Choose ABPURE Nfuse

- Occupancy ready rubber tile collection
- A non-toxic and sustainable choice for the environment
- No wax for life. Easy to maintain and disinfect with EPA list-N approved disinfectants
- Saves time and money at installation and throughout the lifetime of the floor
- Durable and resistant to heavy rolling loads
- Comfortable underfoot while offering superior sound reduction
- Provides safety properties and peace of mind
- Superior color stability and warranty
- Highly flexible and easy to cove
- Made in North America



Colorfast Guarantee

10 year colorfast guarantee!
Colors that will not fade over time.
Custom colors available.



ASTM F 1515

The only rubber product on the market that can pass the ASTM F 1515 test for color durability!



Declare.

Red List Free

Free of all the dangerous red list materials that pose serious risks to our health and environment.



Eco-Friendly

Floorscore certified for indoor air quality & PVC/Chlorine free.



Micro-Ground Edge

New innovative NFuse technology that penetrates and seals surface!



Superior Durability


Extreme flexibility, will not whiten, crack or break.



Superior Durability

Extreme durability and treated to resist the growth of fungus and mold.

AVAILABLE IN 36 COLORS



DIMENSIONS

HAMMERED TILES	IMAGINE TILES	SHEET
- 17 13/16" x 17 13/16"	- 17 11/16" x 17 11/16"	- 60" x 50"
- 35 11/16" x 35 11/16"	- 35 1/2" x 35 1/2"	

3mm thickness (Imagine tile/sheet available in 2mm also)

PROFILES AVAILABLE


To order our product in the texture and color combination of your choice make sure to specify the texture code as well as color code Ex: ABS-66 for Imagine in Doll House color.

HAMMERED



ABM

IMAGINE



ABS/ABT
(Smooth paper finish)

HEAT WELD/ COLD WELD

Optional heat welding or cold welding seamless, sanitary flooring that's easy to maintain. Heat welding is available in all 36 AB PURE colors by ordering with code ABW followed by color number in the floor color chart.

ABPURE IS THE **ONLY RUBBER** TO PASS THE **ASTM F1515** TEST FOR COLOR FADING!



MARATHON



AMERICAN BILTRITE

15 COLORS



Round

The Marathon® rubber flooring collection combines looks and function with no compromise. Like all truly well-designed products; it provides value over time due to its long life cycle and low maintenance requirement.

The collection comes in a large array of styles, patterns, colors, profiles and accessories to fit every design need. Discover them in the tile lines; Round, Natural Slate, Desert Stone, Lakeland Slate as well as in the sheet line; Oasis.

And looks aren't all. Marathon rubber flooring is slip resistant, and contains no PVCs. Perfectly straight edges provide for a seamless fit that won't change over time.



Desert Stone Natural Slate Lakeland Slate Oasis




ROUND



MCR-140 Sandstone Beige MCR-134 Platinum Gray MCR-148 Deep Chestnut MCR-137 Carriage Gray
 MCR-133 Polished Pewter MCR-123 Midnight Charcoal MCR-120 Onyx Black MCR-191 Night Sky
 MCR-181 Green Mint MCR-183 Lime Sorbet MCR-180 Aqua Teal MCR-190 Blue Willow
 MCR-173 Golden Valley MCR-150 Sienna Sunset MCR-152 Cherry Red MCR-155 Alfresco Brick

OASIS




RRO-504 Tawny Pearl RRO-508 Taupe Tease RRO-545 Moroccan Crackle RRO-514 Desert Daystar
 RRO-505 Orient Espresso RRO-534 Castle Marne RRO-515 Soft Sun RRO-506 Antique Paradise
 RRO-544 Burnished Cinnamon RRO-503 Northern Light RRO-531 Pewter Fossil RRO-537 Warm Sable
 RRO-532 Smoky Branch RRO-509 Shady Twilight RRO-523 Shadow Dune RRO-550 Gobi Lilac
 RRO-511 Palm Paradise RRO-512 Silky Sage RRO-575 Oasis Flower

LAKELAND SLATE



MLS-173 Golden Valley MLS-157 Copper Dust MLS-150 Sienna Sunset MLS-155 Alfresco Brick
 MLS-117 Whimsical White MLS-181 Green Mint MLS-183 Lime Sorbet MLS-111 Emerald Isle
 MLS-180 Aqua Teal MLS-130 Maltese Gray MLS-190 Blue Willow MLS-191 Night Sky


DESERT STONE




DSH-103 Silver Circle DSH-133 Polished Pewter
 DSH-142 Almond Biscotti DSH-144 Roycroft Tan DSH-140 Egyptian Shadow
 DSH-145 Casa Madrona DSH-134 Platinum Gray DSH-146 Buckskin

All colors shown available in both Desert Stone & Lakeland Slate profiles

PROFILES AVAILABLE FOR ROUND | NATURAL SLATE | DESERT STONE | LAKELAND SLATE



Round Deck Point Hammered Slate



For minimum orders of 1,800 sq. ft.* (168 m²) the Marathon Round, Natural Slate, Desert Stone and Lakeland Slate color palette can be customized to any profile, including Round, Deck Point, Hammered or Slate, as a special order item. Applicable to base colors only (no chips) except for Hammered and Slate profiles (available chips only).

Note: For actual profile sizes request samples.

*Stair tread options: 1,000 lin. ft. (304.8 m) of One-Piece or 1,500 lin. ft. (474.2 m) of Regular.

MARATHON COMBINES LOOKS AND FUNCTION



NATURAL SLATE



MCA-133 Polished Pewter MCA-123 Midnight Charcoal MCA-137 Carriage Gray MCA-189 Emerald Luster MCA-191 Night Sky

LVT 30MIL WEAR LAYER



AMERICAN BILTRITE

48 COLORS

MIRRA



Mirra 30mil LVT

Mirra by American Biltrite provides extreme durability for the toughest commercial environments! 3mm luxury vinyl tile with a 50% greater wear layer (30mil) than most LVTs. Available in a variety of wood & stone colors.

FEATURES & BENEFITS

- Commercial grade makes it suitable for high traffic areas.
- 50% greater wear layer.
- Easy to install.
- Wood collection available in 13 realistic patterns and a host of colors and sizes including 4" x 36", 7.25" x 48", and 9" x 48".
- Stone collection available in 8 classic and contemporary patterns and a host of colors and sizes, including 18" x 18", 12" x 24", and 18" x 36".

DIMENSIONS

MIRRA WOOD

4" X 36" | 7.25" X 48" | 9" X 48"

MIRRA STONE

18" X 18" | 12" X 24" | 18" X 36"

Strength and resiliency from the ground up. The Mirra line is the ideal 3 mm luxury vinyl tile for heavy traffic environments and is perfect for all commercial applications. It contains 50% greater wear layer (30 mil) than most LVTs.

AVAILABLE IN 48 COLORS




STRENGTH AND RESILIENCY FROM THE GROUND UP

The Mirra Wood & Stone line is the most ideal luxury vinyl tile and plank for heavy traffic environments and is perfect for all commercial applications. It contains 50% greater wear layer than most LVTs.



WINNIE PALMER HOSPITAL – ORLANDO, FL



MIRRA WOOD 4" x 36" | 6" x 48" | 9" x 48"



MIRRA STONE 18" x 18" | 12" x 24"



Floorscore Certified

Floorscore certified for indoor air quality. Qualify for LEED v4, WELL Building Standard, and more.



30mil Wear Layer

Superior 30mil wear layer with a 2,500 psi rating, making it a perfect fit for heavy traffic commercial environments.



Eco-Friendly

Floorscore certified for indoor air quality. Qualify for LEED v4, WELL Building Standard, and more.

MIRRA CONTAINS A 50% GREATER WEAR LAYER



THAN MOST LVTs!

866-996-7563

yorkshire@yorkshire.com

www.yorkshire.com

LVT 20MIL WEAR LAYER



AMERICAN BILTRITE

SONATA

36 COLORS



- 2.5mm LVT with 20MIL wear layer, Ideal for heavy traffic environments (2500 PSI)
- Tiles available in 16 colors and patterns, in both traditional 18" x 18" and contemporary 12" x 24".
- Planks available in 20 colors and patterns, in 4" x 36", 9" x 48" and 6" x 48" for an on-trend linear look.

DIMENSIONS

SONATA WOOD 4" X 36" | 6" X 48" | 9" X 48"

SONATA STONE 18" X 18" | 12" X 24"

Sonata LVT with Carpet Visuals

Sonata provides an elegant and versatile line of colors and patterns from classic to contemporary. Available in tiles & planks that feature a durable wear layer with aluminum oxide for superior scratch and stain protection.


AVAILABLE IN 36 COLORS




ADVENT HEALTH – DADE CITY, FL



SONATA WOOD 4" x 36" | 6" x 48" | 9" x 48"



SONATA STONE 18" x 18" | 12" x 24"



Unique Design

2.5 mm tiles/planks with a 20 mil wear layer. Including aluminum oxide for superior scratch and stain protection.



Endless Possibilities

Variety of wood and stone styles that can also be installed easily with Sonata Elements "carpet" textile.



No Wax

Environmentally safe, greenguard certified to meet some of the world's most rigorous chemical standards.

ADDITIONAL FEATURES

- Meets ASTM F 1700 Class III, Type A or B
- FloorScore certified
- Non-beveled, straight edge
- LEED Eligible: LEED v.4
- Easy Install
- Phthalate-free
- Industry wide EPD
- 10 yr commercial warranty

SONATA OFFERS A LINE OF VERSATILE



AND ELEGANT FLOORING DESIGNS!

LVT 20MIL WEAR LAYER




SONATA ELEMENTS

AMERICAN BILTRITE

15 COLORS



Sonata Elements LVT with Carpet Visuals
 Sonata Elements combines sophisticated carpet-like tiles complemented with striated accented tiles. Creating beautiful carpet visuals that look identical to traditional carpet, but paired with the added durability from vinyl tiles.



TILE SIZE

2.5MM X 18" X 36" – 20MIL

New Sonata Elements is an 18" x 36" Luxury Vinyl Tile with a 20-mil wear layer that provides the design flexibility and coordination of gradient style carpet tiles in a luxury vinyl tile.

Sonata Elements provides the hygienic benefits of luxury vinyl tiles complemented with a dimensional striated textile visual inspired by modular carpet tiles. The collection includes:

Base Tile A: Five cool and warm neutral base colors with an all-over design without gradients.

Coordinating Accent Tile B: The base tiles are transformed to include a tone-on-tone gradient neutral pattern.

Coordinating Accent Tile C: Chromatic gradient patterns are then added to the foundational 5 base tiles for even more design possibilities.

The fifteen 18" x 36" tiles can be mixed or used monolithically allowing for functional wayfinding areas and unlimited flooring patterns.

SONATA OFFERS A LINE OF VERSATILE



AND ELEGANT FLOORING DESIGNS!

COLORWAYS

SEL-1A Light Grey
 SEL-1B Light Grey | Medium Grey
 SEL-1C Light Grey | Blue
 SEL-2C Medium Grey | Red
 SEL-3A Dark Grey
 SEL-3B Dark Grey | Light Grey
 SEL-4B Beige | Brown
 SEL-4C Beige | Burgundy
 SEL-5A Cocoa
 SEL-2A Medium Grey
 SEL-2B Medium Grey | Light Grey
 SEL-3C Dark Grey | Turquoise
 SEL-4A Beige
 SEL-5B Cocoa | Greige
 SEL-5C Cocoa | Green

Flooring pattern: BRICK STYLE
 Flooring pattern: DOUBLECORRIDOR
 Flooring pattern: ZIG-ZAG



THE DESIGN SOPHISTICATION AND FLEXIBILITY OF CARPET IN A LUXURY VINYL TILE.

FLOOR CREATOR

Discover the Sonata Elements LVT Floor Creator App and create unlimited unique flooring designs.

Visit sonata.american-biltrite.com to access the app.



Start by choosing one of the ten pre-set flooring patterns.


You can easily modify the patterns to create your own unique design.

Specify a floor size according to your project requirements. The tiles can be installed at different angles and even flipped 180°.

Pick from fifteen tile colors— five cool and warm neutral base colors supported by ten 2-tone accent tiles.

The app will calculate the quantities per color required for your project.

You can easily save and re-upload the project into the app for later use. The app also allow you to download CAD files and request samples.



FLOORING PATTERNS

DOUBLE/SINGLE PAGE 4
 MIRROR PAGE 10
 SINGLE STRIPE PAGE 5
 INTERMITTENT CHECKER PAGE 11
 MIRROR STRIPE PAGE 6
 ZIG-ZAG PAGE 12
 INVERSED STAGGER PAGE 7
 SINGLE CORRIDOR PAGE 8
 FLIPPED MIRROR PAGE 9
 BRICK STYLE PAGE 13

SOLID VINYL TILE



TEXAS GRANITE



AMERICAN BILTRITE

30 COLORS



Long wearing homogeneous construction

- Through and through chip design construction
- True non-directional design, no arrows to follow during installation
- Total thickness of 1/8" (3.17mm), thicker than other resilient floors, more durable and more forgiving of subfloor imperfections

Highly durable with a 20-year commercial limited warranty

- 30-year life expectancy

Superior indentation resistance per ASTM F 970 modified up to 2500 psi



Excellent resistance to rolling loads: from cafeteria tables to heavy rolling equipment and medical beds.

The floor that never needs to be waxed to stay beautiful

- Achieve your own gloss effect from matte to high gloss by simple buffing without wax—simply adjust the RPM level on the buffing machine
- Benefit from a continuous floor between areas that require different gloss levels, such as low gloss for critical care dementia application
- High reflective value lowers lighting costs

Easy maintenance and low installation cost

- Achieve high gloss by simple buffing — no wax required

Occupancy ready

- Spot cleaning possible
- No stripping or waxing required


Phthalate-free and low VOC, FloorScore® certified

- No negative impact on wastewater contamination from harmful waxing chemicals, and indoor air quality
- 30% savings on water and detergent use


DIMENSIONS

12" X 12" | 24" X 24" | 36" X 36"

3.17mm thickness



Neutrals



Earth Tones

The floor that never needs to be waxed to stay beautiful

- Set your own gloss level by simple buffing—no wax required
- Classic Terrazzo design

Decades of proven performance

- Long-wearing homogeneous construction
- 20-year commercial limited warranty

Easy maintenance

- Occupancy ready
- Easily repairable, spot cleaning possible
- No stripping or waxing required

Phthalate-free and low VOC

FloorScore® certified



Chromatic



TEXAS GRANITE CAN BE FLAME COVERED AND HEAT WELDED FOR INCREASED HYGIENE.

HEAT WELDING RODS ARE AVAILABLE IN 10 COORDINATING COLORS. SEE COLOR RANGE ON PAGE 18.



High gloss



Medium gloss



Low gloss



*SHINE LEVELS ARE ACHIEVED FROM BUFFING DURING MAINTENANCE. FACTORY TILES DELIVERED IN STANDARD GLOSS FINISH ONLY (SLIGHTLY LESS SHINY THAN HIGH GLOSS).

TEXAS GRANITE IS THE MOST DURABLE



VINYL ON THE MARKET!

866-996-7563

yorkshore@yorkshore.com

www.yorkshore.com

SOLID VINYL TILE




ELECTROTILE



AMERICAN BILTRITE

12 COLORS



Perfect for all healthcare, institutional and commercial environments where sensitive electronic equipment is in use.





- Meets static dissipative or conductive requirements.
- Created in 1965; the first ESD tile with carbon black filament matrix.
- Made in North America with the highest level of quality control.
- Easy maintenance with only dry buffing; No waxing. Ensures the ESD properties won't be affected by maintenance.

- Lifetime warranty on conductivity.
- Engineered to be extremely durable.
- Timeless Terrazzo look.

DIMENSIONS

- Comes standard in 12"x12"
- 24" x 24" and 36" x 36" tiles on special request (minimum run of 700 square feet, unless available from inventory).




Heat welding is available in coordinating colors. See the website for colors available.


Static Dissipative and Conductive



White




White | Grey




White | Black




Luxe | Grey




Mineral | Grey




Mission White



White | Taupe




White | Blue




Grey



Almond Shell



Taupe



Sky Blue

As pioneers in electrostatic flooring, we are part of your ESD protocol team and assist in the development of your ESD program.

Once the floor is installed, an additional evaluation is done and a warranty is issued, giving facilities and their employees safety and peace of mind. **No one else does it, WE DO.**



ELECTROTILE IS THE MOST DURABLE



SOLID VINYL TILE!

866-996-7563

yorkshore@yorkshore.com

www.yorkshore.com

FORTIS SILVER KNIGHT



NOI
(VAXI)

SOLVENT
FREE

43 COLORS

- Silver Knight iGuard Surface
- Non-directional homogeneous layer



Our most popular homogenous flooring is Grabo Fortis Silver Knight, a 2 mm thick, general-purpose roll-based vinyl covering. Thanks to the Silver Knight surface, it has an integrated self-disinfecting property that provides a broad spectrum and long-lasting hygiene thanks to its modified silver content.


It is a product with the highest level (Group T) of wear resistance, making it one of the most durable and lasting solutions for public uses. Thanks to Graboplast's proprietary technology, the Grabo homogenous floorings have the highest dimensional stability on the market, which is usually around one-fourth of the limits specified in the standard.

This feature is of increasing significance over time as the change in the size of floorings over the years can lead to gaps appearing at the edges, where pathogens and impurities can settle, making it impossible to provide for the appropriate level of cleaning and disinfecting. This is prevented by the Grabo homogeneous floorings, which make maintenance even simpler and thus guarantee a hassle-free surface.

RECOMMENDED AREAS OF USE

- Healthcare institutions, clinics
- Nursing homes, elderly care institutions
- Schools, kindergartens, other educational institutions
- Offices, workplaces

COLORS




HIGH WEAR RESISTANT



HOMOGENEOUS FLOORING!

12 COLORS



Our Silver Knight surfaced products are particularly timely as disinfection has become a key aspect of our lives. Thanks to the special surface of Graboplast's vinyl wall coverings and floorings produced with proprietary technology, they have a self-disinfecting nature, which means they destroy pathogen without the use of chemicals. Our Silver Knight products contain no artificial antibiotics that pathogens might be resistant to and their performance is certified by ISO 21702 testing, which shows that they can even effectively counter the human coronavirus.

Silver Knight Acoustic 7 product is a 3.2 mm thick heterogeneous flooring with a foam backside and a 0.7 mm wear layer that ensures its lasting use for an extended period of time. Additionally, it is extremely resistant to stains and chemicals, it has a certified Bfl-s1 fire resistance and thanks to foam backside, it provides good walking comfort and 19 dB sound absorption.

RECOMMENDED AREAS OF USE

- > Nursing homes, elderly care institutions
- > Schools, kindergartens, other educational institutions
- > Healthcare institutions, clinics
- > Offices, workplaces
- > Catering units, clubs

COLORS



ACOUSTICAL





GRABOPLAST SPORTS FLOORING



YORKSHIRE SALES
COMMERCIAL FLOORING DISTRIBUTOR
yorkshire@yorkshire.com | 866-996-7563


50MIL WEAR LAYER



Gymfit 50

6 COLORS

- A PUR Surface koptatóréteg
- B Dvegvlies erősítés
- C Zártcellás hab hátoldal




A floor suitable for various sports activities, used in schools, kindergartens, and fitness rooms.

It is a popular surface for recreational team sports, such as ball sports, but also provides a suitable base for wheelchair sports.

Its wear-resistant surface ensures durability, and its 2-meter-wide, roll-up package ensures easy installation.

Width EN ISO 24341	Standard roll length EN ISO 24341	Thickness EN ISO 24346
200 cm	20 m	5,0 mm

COLORS



- 5.00mm Thickness / 50mil Wear Layer
- For wheelchair sports
- Easy direction change

RECOMMENDED AREAS OF USE

- > Schools, kindergartens
- > Ball team sports
- > Wheelchair sports
- > Fitness halls
- > Gymnastics, Dance, Aerobic




60MIL WEAR LAYER

Gymfit 60



6 COLORS



It is a flooring intended for training, gymnastics and leisure-time sports, and can be used in fitness studios, schools or home sports rooms.

Its wear-resistant surface ensures durability, and its 2 metre wide rolled packaging unit allows easy laying.

Width	Standard roll length	Thickness
EN ISO 24341	EN ISO 24341	EN ISO 24346
200 cm	20 m	6,0 mm


COLORS



- 6.00mm Thickness / 60mil Wear Layer
- For training
- Wear-resistant surface

RECOMMENDED AREAS OF USE

- > School gyms
- > Fitness halls
- > Ball team sports
- > Dance, Aerobic




65MIL WEAR LAYER

Gymfit 65



6 COLORS

- A X-PUR wear layer
- B Glass fibre reinforcement
- C Closed-cell foam back layer



 Width	 Standard roll length	 Thickness
EN ISO 24341	EN ISO 24341	EN ISO 24346
200 cm	20 m	6,5 mm

A sports flooring suitable for school and leisure-time sports.

Due to its X-PUR surface, it has many beneficial properties. These include the optimal adhesion preventing injuries as a result of slippage and adhesion.

Its closed, pore-free top layer is durable and scuff-resistant, and is easy to clean, and offer an aesthetic dull appearance.

COLORS



- 6.5mm Thickness / 65mil Wear Layer
- For leisure-time sports
- Aesthetic dull surface

RECOMMENDED AREAS OF USE

- > School gyms
- > Home and professional fitness
- > studios
- > Ball team sports
- > Dance, Aerobic
- > Fencing




VariUse



17 COLORS

- A X-PUR wear layer
- B Glass fiber reinforcement
- C Combined double-foam backing



A floor suitable for various sports activities, used in schools, kindergartens, and fitness rooms.

Pursued for fun, e.g. it is a popular cover for ball team sports, but it also provides a suitable foundation for wheelchair sports.

Its wear-resistant surface ensures durability, and its 2-meter-wide, roll-up package ensures easy installation.


Width	Standard roll length	Thickness
EN ISO 24341	EN ISO 24341	EN ISO 24346
200 cm	20 m	6,2 mm

- 6.2mm Thickness
- For sports and non-sport activities
- Comfort and versatility

RECOMMENDED AREAS OF USE

- > Multi-function halls
- > School gyms
- > Competition sports halls
- > Fitness halls
- > Sports halls of hotels
- > Ball team sports
- > Ball team sports
- > Fencing
- > Aerobic, gymnastics
- > Martial sports
- > Wheelchair sports
- > Dance


COLORS



VariUse 8.3



15 COLORS



The versatile flooring not intended only for sports. Two in one: it is a sports and commercial flooring with a full value, which combines the benefits of two product types, and therefore it can be used for sports and non-sports activities without any problem.

It is durable and safe, protects the skeletal system of the user, it is wear-resistant and easy to clean.

Width EN ISO 24341	Standard roll length EN ISO 24341	Thickness EN ISO 24346
200 cm	15 m	8,3 mm

COLORS





- 8.3mm Thickness
- For sports and non-sport activities
- Comfort and versatility

RECOMMENDED AREAS OF USE

- > Multi-function halls
- > School gyms
- > Competition sports halls
- > Fitness halls
- > Sports halls of hotels
- > Ball team sports
- > Fencing
- > Aerobic, gymnastics
- > Martial sports
- > Wheelchair sports
- > Dance



4 COLORS



It is a flooring used in gyms and schools satisfying the needs of small children for exercise. It can be used as a covering for gymnastics, playful games, performances, team exercises, but also for changing rooms or team rooms.

Its sufficient adhesion offers a safe base for ball games, play or relay races.

 Width EN ISO 24341 200 cm	 Standard roll length EN ISO 24341 20 m	 Thickness EN ISO 24346 4,0 mm
--	---	--

- 4.00mm Thickness
- For kindergarten gyms
- Safe surface

RECOMMENDED AREAS OF USE

- > Kindergarten gyms
- > Schools
- > Ball team sports
- > Gymnastics, Dance, Aerobic




Rocket



COLORS

2 COLORS



It allows quick turning and change of direction, while offers proper leg comfort, and thereby it meets the main requirements of table-tennis and badminton sports.

It can be used as a portable covering that can be glued and removed after competitions.

Width EN ISO 24341	Standard roll length EN ISO 24341	Thickness EN ISO 24346
200 cm	16, 20 m	3,8 mm

- 3.8mm Thickness
- For table-tennis and badminton
- Quick and safe change of direction

RECOMMENDED AREAS OF USE


- > Table-tennis & badminton competitions
- > Schools
- > Leisure-time sports



Strong Air Elite




COLORS



4 COLORS

SERVING CHAMPIONS



Heavy-duty, robust sports parquet system for professional competition conditions, with 22 mm parquet. Standing and performance in all conditions.

Graboplast's 'big gun' when it comes to sports parquet system solutions. Designed for professional use, it can withstand ultra-high stresses.

The system is based on a flexible structure thanks to the swinging battened modular unit complemented by a special foam layer, which absorbs the impact energy of the athlete's landing on the ground, providing outstanding joint protection. This is covered with a hard-wearing, 22 mm thick, engineered parquet flooring. A specially designed membrane ensures that the vapour from the substrate is well drained.

The lacquered surface has ideal slip and traction characteristics to help prevent injuries from uncontrolled movement. Meeting the requirements of the EN 14904 "sports standard", it is ready for the toughest league clashes.

Thanks to its special factory sports lacquer coating, the surface can be immediately line painted and used right after installation.

Parquet board size: 2250x190x22 mm

Parquet packaging unit: 1.71 m²/bundle (1 bundle contains 4 boards)

- Extreme heavy duty use, 48mm Thickness
- For competitive sports
- 22 mm parquet

RECOMMENDED AREAS OF USE

- > For competitive sports
- > For city and university halls
- > For multi-sport purposes





Spring Air Elite



COLORS

3 COLORS



The optimal sports parquet system for a wide range of use.

Fine-tuned with engineering precision, this system is not only technically advanced, but also available in a wide range of school, university, and municipal sports halls.

Graboplast's best-selling sports flooring system is the one that users can count on at any time, whether it's for competitions, hard training sessions or even physical education classes. Its modular, flexible, battened underlay provides optimal shock absorption for both mild and heavy use. A specially designed membrane ensures the drainage of vapour from the ground. The lacquered surface has ideal slip and traction characteristics to help prevent injuries caused by uncontrolled movement. The performance of the system is certified to EN14904.

Thanks to its special factory sports lacquer coating, the surface can be immediately line painted and used right after installation.

Parquet board size: 2250 x 190 x 18 mm

Parquet packaging unit: 2,565 m² per bundle (1 bundle contains 6 boards)

- 46mm Thick System
- School, city sports hall
- Cfl-s1 fire resistance

RECOMMENDED AREAS OF USE

- > for ball team sports (for example basketball, handball, volleyball, futsal etc.), competitions.



Jump Air Elite



COLORS



Oak Rustic




Oak Unique



Ash Natur

3 COLORS

ECONOMICAL, YET PROFESSIONAL



A sports parquet system that goes far beyond the minimum requirements and offers excellent value for money.

The Grabo JumpAir Elite sports flooring system is the ideal solution for school sports halls, where the floor is exposed to constant wear and tear for most of the day. It is equally suitable for gym classes, competitions, and training sessions.

The JumpAir Elite system consists of a membrane (GraboRex), a modular, flexible, battened flooring underlay (ShockPad Elite) and a sports parquet top (JumpAir+).

Its modular, flexible, battened underlay provides optimal shock absorption for both mild and heavy use. A specially designed membrane ensures the drainage of vapour from the ground. The lacquered surface has ideal slip and traction characteristics to help prevent injuries caused by uncontrolled movement. The performance of the system is certified to EN14904.

Thanks to its special factory sports lacquer coating, the surface can be immediately line painted and used right after installation.

Parquet board size: 2250 x 190 x 16 mm.

Parquet packaging unit: 2.565 m²/bundle (1 bundle consists of 6 sheets).


- 44mm Thick System
- School, city sports hall
- Economic, yet professional solution

RECOMMENDED AREAS OF USE


- > for team-based ball game (basketball, handball, volleyball, futsal, etc.) competitions.



3 COLORS



THE SMARTLY FLEXIBLE SOLUTION



A system that is easy and quick to lay and can even be removed on demand.

Sports isn't the only field that requires speed, dynamism and flexibility. One of the main advantages of the Smart-Fit portable sports flooring system is that its innovative modular click joint system makes it lightning-fast, low-cost to install and, if necessary, easy to remove and reinstall on multiple occasions. We recommend its use in rooms of less than 500m².

Thanks to its special factory sports lacquer coating, the surface can be immediately line painted and used right after installation.

Parquet board size: 2250x190x14 mm.

Packaging unit: 1.71 m²/bundle (1 bundle consists of 4 modules).



- 44mm Thick System
- School, city sports hall
- Economic, yet professional solution

RECOMMENDED AREAS OF USE

- > Sports halls
- > Fitness studios
- > Dancehalls
- > School sports tracks



Combiflex



COLORS

18 COLORS



A combi-elastic sports flooring system consisting of a shock absorbing underlayment and PVC covering.

Its 8 mm-thick, point-elastic upper layer is activated even upon light impact, for example, when falling or in the case of children using the surface, in order to protect the athlete.

The lower shock absorbing system also comes into play in the case of a greater impact, protecting the cartilage and joints of athletes.

It is mostly recommended for sports halls that typically cater to both child and adult sports, yet it is equally suitable for the sporting needs of the youngest generations as well as high-level competitive sports.

RECOMMENDED AREAS OF USE

- > All levels of team-based ball games
- > School sports
- > Leisure sports activities
- > Aerobics, gymnastics
- > Martial arts



- Sports flooring system
- With combi-elastic features
- Efficient joint protection




Grabo Mod-Flex



COLORS (Active/Heavy)

3 COLORS



MOD-FLEX IS THE ULTIMATE BLEND OF DURABILITY, COMFORT, AND STYLE FOR MODERN FITNESS ENTHUSIASTS.

- 15mm & 30mm thickness
- Sound insulation
- High impact resistance

Engineered to endure rigorous workouts, it provides support and cushioning to reduce injuries. Its sleek design enhances both performance and gym aesthetics, breaking away from traditional flooring limitations.

Step into a new era of fitness with Mod-Flex—where flexibility, fitness, and innovation meet.



RECOMMENDED AREAS OF USE

- > Aerobics- High mobility
- > Cardio-Rowing, cycling, treadmill machines
- > Free Weight Strength Training- High Impact heavy weights
- > Cross-Fit & Strength-Medium impact weight machines



4 COLORS

- Modular
- Versatile

Why Choose Grabo Energy Modular Sports Floors?

Proven Track Record: We are the largest producers of sports floors in Central Eastern Europe and in business for over 100 years. Globally, our sports products have been used in the smallest school gyms to world class sports facilities.

Superior Quality: Our floors are made from premium materials that can withstand even the toughest conditions. They are resistant to weather and abrasion, ensuring that they stay in condition for years to come.

Safety and Comfort: Our floors have a non-slip surface that provides excellent traction and reduces the risk of slips, falls, and injuries making them comfortable and safe to play on.

Versatility: Our floors can be used for a wide range of sports, including basketball, volleyball, tennis, hockey, futsal, pickleball and many more.

Eco-Friendly: Our floors are made from 100% recyclable materials that are safe for the environment and reduce waste. They are also energy-efficient, as they reflect sunlight and reduce heat island effect, making them a sustainable choice for any outdoor space.

Easy Installation: Our floors come in easy-to-assemble modular panels that can be quickly installed on any flat surface without any special tools or adhesives. They can be installed on existing floors.

Low Maintenance: Our floors require minimal maintenance, thanks to their durable and easy-to-clean surface. Modular tiles can easily be replaced or transported.

Upgrade to Grabo Energy modular sports floors and experience the ultimate performance, safety, and durability that will take your game to the next level!


RECOMMENDED AREAS OF USE

- Basketball, Tennis, Futsal, Badminton, Pickleball
- Leisure Sports Activities
- Schools, public areas, outdoor play areas


COLORS




Green



Blue




Red



Grey

CORNERS



Edges Corners

